

Product Safety Data Sheet

Berkshire & Basingstoke Pest Control
1 Vicarage Wood Way
Reading RG31 6ZX
Internet: www.pestuk.com
Email: alec.minter@virgin.net

DIFENACOUM PW Block Bait + denatonium benzoate
ANTICOAGULANT RODENTICIDE + HUMAN TASTE DETERRENT

5) Fire Fighting Measures.

Keep fire exposed container cool by spraying with water.

Self-contained breathing apparatus should be worn by fire fighting personnel. Avoid run-off into water courses and contain run-off with temporary earth barriers or with other chemical sorptives.

This product contains > 40% paraffin wax with a M.Pt of c. 58-60°C. Paraffin wax is combustible and vapours from molten wax are flammable.

Extinguishing Media : Do not use water-jets to extinguish fires or disperse spilt product, use carbon dioxide, dry powder or alcohol foam, or a heavy, coarse, low-pressure water spray.

6) Accidental release measures.

Sweep up and shovel into waste drums or plastic bags. Protect against dust. Wash the contaminated area with water, taking care to prevent the washings from entering surface water drains.

Spillages or uncontrolled discharges into water courses must be notified to the appropriate Regulatory Authority or to the National River Authority.

7) Handling and Storage

Handling : Product must be handled in a safe manner. Read the label before use and avoid contact with skin or eyes. Do not smoke drink or eat whilst using the product. Wash hands and face before eating, drinking or smoking.

Storage : Store in original container under cool and dry conditions in a secure (lockable), well ventilated place, inaccessible to children and away from foodstuffs, and animal feedstuffs.

Physically and chemically stable for at least two years when stored un-opened at ambient temperatures in the original sales packs.

8) Exposure controls and personal protection

When using this product refer to the label for details.

Wear suitable respiratory protective equipment if exposure to levels above the occupational limit is likely

Wear suitable protective clothing, gloves and eye/face protection.

Occupational Exposure Limit

	Long-term Exposure Limit (8 hr TWA reference period)		Short-term exposure Limit (15 minute reference period)	
	ppm	mg m ⁻³	ppm	mg m ⁻³
Difenacoum		0.002		